

5/15/2017

Summary of Water Survey

Area	#Letters Sent	Total EDU's	#Letters Returned	%Letters Returned	# Have Filters	% of Replies with Filters	# Have Dirty Smelly H2O	%Have Dirty Smelly H2O	Want H2O #yes	% Yes	Want H2O #No	%No	#Maybe	%Maybe
1	46	59	26	57%	21	81%	7	27%	7	27%	16	62%	3	11%
2	48	48	31	65%	22	71%	4	14%	3	10%	25	81%	3	10%
3	87	94	52	60%	38	73%	12	23%	10	19%	37	71%	5	10%
4	56	61	39	70%	22	56%	8	21%	6	15%	31	79%	2	6%
Totals	237	262	148	62%	103	70%	31	21%	26	18%	109	74%	13	10%
Area 1	Includes part of Longs Gap Road from Creek Road to Woodland Ave, Bellaire Avenue, Clearview Avenue, Maple Avenue & Woodland Avenue													
Area 2	Includes part of Longs Gap Road from Woodland Avenue to East Slate Hill Road and also East Slate Hill Road and Prickley Pear Drive													
Area 3	Includes part of Longs Gap Road from Creek Road to Green Meadows Drive and also Shughart Circle, Bellair Park Road, Hill Drive, Stine Avenue, Green Meadows Drive, Kaseeta Drive and Sun Dance Lane													
Area 4	Includes part of Longs Gap Road from Green Meadows Drive to the bridge and Channel Drive													

NORTH MIDDLETON AUTHORITY

**240 Clearwater Drive
Carlisle, PA 17013-1100
717-243-8269
email csaoff@pa.net**

SURVEY QUESTIONS

1. Is your property currently served with a well, cistern or neither?

Answer-_____.

2. Have you ever had your water tested for any contamination? If so what were the results?

Answer-_____.

3. Do you have any water filtering equipment or point of use filters installed within your property?

Answer-_____.

4. Has the water supply to your property ever become non-useable dirty, smelly?

Answer-_____.

5. Are you interested in having a public water supply system, including fire hydrants, installed to provide water service to your property?

Answer-_____.

Name of Property Owner: _____.

Address: _____

_____.

Phone Number: _____.